

PTAC
Packaged Terminal Air Conditioner
UP TO 12.0 EER | 3.4 COP

Wise Decision.
It's an Amana[®] brand.



Amana is a registered trademark of Maytag Corporation or its related companies and is used under license to Goodman Company, L.P., Houston, TX, USA. All rights reserved.

Premium Amana[®]
Brand Quality

Outstanding
Performance and Comfort

Premium Energy
Management System



PACKAGED TERMINAL AIR CONDITIONER

PTAC | UP TO 12.0 EER | 3.4 COP

Distinguishing features:



Energy-Saving Efficiency

The DigiSmart® system is the first of its kind for the Amana brand. Compared to the energy consumption of a standard Amana brand PTAC product without DigiSmart, the DigiSmart Wireless Energy Management System for Amana brand PTACs can reduce energy costs up to 35%*. Beyond the benefits of reduced energy consumption, the DigiSmart system can assist in monitoring unit performance and targeting maintenance.

Simply stated, the DigiSmart system employs an in-room wireless thermostat and occupancy sensor connected with the push of a single button. No wiring is required. This allows you to connect all the PTACs in your building so they can be monitored from a single controller. At any time, you can tell if the unit is running, if the room is occupied and even view whether any maintenance is necessary on any of the connected PTACs.



Experience Quiet Comfort

You can be assured that your Amana brand PTAC will provide your guest with quiet comfort and operation. To minimize the operating sounds, we've acoustically engineered our system with enhancements that include an indoor tangential fan for quiet and even air distribution, and a two-speed indoor motor for enhanced guest comfort. Additionally, the two-speed outdoor fan allows for lower overall sound, as compared to units without this feature.

How the Amana® brand makes your decision easier

From day one, every Amana® brand product has been made with the same core philosophy: to provide customers with high-quality products that are reliable, meet their needs, and last longer than the rest. And we keep that philosophy firmly in mind as we build our Amana brand Packaged Terminal Air Conditioners (PTACs). Whether you are in the hotel/hospitality industry or provide assisted living services, Amana brand PTACs are designed to provide your business with plain-and-simple product durability and advanced energy management features, while helping you to create the best indoor comfort possible.

Commitment to quality engineering

Always in pursuit of the highest performance and efficiency, our engineers are constantly evaluating the latest technology and applying it to every Amana brand PTAC. This commitment to constant improvement ensures that our units continue to meet or surpass industry standards. The Amana brand line of air PTACs is designed and built to ensure dependable operation with continuous, trouble-free cooling comfort.

But best of all, the operation of your PTAC can be monitored and reviewed by your personnel with the use of the DigiSmart® Energy Management System that we build into all of our premium Amana brand PTACs. This system monitors data from the unit and detects the potential cause of system-related issues.

*The security of the Amana brand's amazing limited warranty**

To truly seal the deal, an Amana brand PTAC Air Conditioner is backed by our industry-leading limited warranty*. The longevity of premium Amana brand products combined with this excellent warranty* coverage offers you a level of purchase protection that's the stuff of legend.

LIMITED WARRANTY* PROTECTION



* Complete warranty details available from your local dealer or at www.amana-ptac.com.



Heating & Air Conditioning
Amana
LASTS AND LASTS AND LASTS.®

The Amana® brand PTAC advantages:

- ✓ Designed and assembled in the U.S.A. for over 35 years
- ✓ DigiSmart® control board for energy savings*
- ✓ Indoor tangential fan for quiet operation and optimal air distribution
- ✓ EER Up To 12.0 and up to 3.4 COP with AHRI Certified Performance meeting ASHRAI 90.1 2010 standards
- ✓ Reliable design with R-410A refrigerant filter drier and high-pressure switch
- ✓ Two fan motors for quiet operation
- ✓ Compatible with the DigiSmart® Wireless Energy Management System – Providing up to 35% more energy savings as compared to energy consumption of a standard Amana brand PTAC without the DigSmart system (when installed with DT01G, DD01E and Amana brand PTAC*)

UP TO
12.0
EER

DigiSmart® *These savings represent savings over time as compared to the same PTAC model without the DigiSmart EMS System installed and were generated using general assumptions including energy loads, local weather averages and use of occupancy controls. Actual savings will vary according to actual use habits, room square footage, and how the unit is installed.

A legacy of comfort

The impeccable reputation of an American original

Amana brand heating and cooling systems are a part of the enduring legacy of one of America's most recognized and respected brands. Originating eight decades ago in Amana, Iowa, the brand is synonymous with long-lasting, premium quality products — from home appliances to heating and air conditioning equipment. Chances are, you and generations before you have enjoyed the dependable performance and longevity the Amana brand continues to deliver.



Proudly Assembled in Texas and Tennessee





Amana® brand products are built to last.

Comfort and Efficiency
 This air conditioner can provide significant savings on your electric bill compared to lower-rated EER units.

Model	PTC 073G**AXXX	PTC 093G**AXXX	PTC 123G**AXXX	PTC 153G**AXXX	PTC 173G**AXXX	PTC 074G**AXXX	PTC 094G**AXXX	PTC 124G**AXXX	PTC 154G**AXXX	
Voltage	230 / 208	230 / 208	230 / 208	230 / 208	230 / 208	265	265	265	265	
Capacity (BTU/h)	7,700 / 7,700	9,000 / 9,000	12,000 / 11,700	15,000 / 14,700	16,400 / 16,200	7,700	9,000	12,000	14,800	
EER	11.7 / 11.7	11.3 / 11.5	10.4 / 10.5	10.0 / 10.0	9.4	11.7	11.3	10.4	10.0	
Model	PTH 073G**AXXX	PTH 093G**AXXX	PTH 123G**AXXX	PTH 153G**AXXX		PTH 074G**AXXX	PTH 094G**AXXX	PTH 124G**AXXX	PTH 154G**AXXX	
Voltage	230 / 208	230 / 208	230 / 208	230 / 208		265	265	265	265	
Capacity (BTU/h)	Cooling	7,600 / 7,600	9,000 / 9,000	12,000 / 12,000	14,700 / 14,700		7,600	9,100	12,000	14,600
	Heating	6,800 / 6,800	8,300 / 8,100	11,500 / 11,300	13,800 / 13,600		6,800	8,300	11,400	13,700
EER	11.7 / 12.0	12.0 / 12.0	11.0 / 11.0	9.7 / 9.7		11.7	12.0	11.0	9.7	
COP	3.4 / 3.4	3.4 / 3.4	3.1 / 3.2	3.0 / 3.0		3.4	3.4	3.1	3.0	

Call Allied Appliance at **800-991-8480** for complete details.

Additional information

Before purchasing this appliance, read important information about its estimated annual energy consumption, yearly operating cost, or energy efficiency rating that is available from your retailer.